

XANTÉ

INTRODUCING!

X-33™

UV PRINTER



Prints up to 24"x36"!



PRINT ON VIRTUALLY ANY MEDIA!

CMYK + WWW

UP TO 2880 DPI RESOLUTION

PRINT ON MEDIA UP TO 6 INCHES TALL

DUAL LED LAMPS
(Instant Ink Curing)



US: 251.473.6502
EU: +31 (0) 26.319.3210
xante.com


BEST. EVER.

The X-UV Printer cannot be beat.

Large flatbed printers designed for signage and graphics print at high speeds but are limited by substrate thickness.

Small format printers designed for specialty items print at slower speeds and are limited by substrate length and width.

*The Xanté family of X-UV Printers do **BOTH**.
It's the best of both worlds.*



CONTACT US TODAY FOR MORE INFORMATION.

PRINT IN THE SWEET SPOT



POWERED BY

iQueue

Simply Brilliant Color Workflow

INCLUDED!

**FIVE WAYS TO PRINT INTENSE,
BRILLIANT, PURE WHITE.**

Flood, White Active Pixels, White Inactive Pixels, White Spot Color, or No White

**BUILD DEPTH WITH LAYERS OF
FAST-DRYING, UV-CURED INK.**

Create impressive displays that grab attention or communicate important information in braille. This process is fast and renders strong, durable results.




251.473.6502

Signage • Manufacturing • Specialty Items • Industrial • Packaging



PRINT FAST. PRINT TALL.



HIGH QUALITY SIGNAGE AT SPEEDS OVER 100 sq.ft./hour

Resolution - up to 2880 dpi

Media size - 24" x 36" x 6"

Media weight - up to 22 pounds!



BEST-IN-CLASS

XANTÉ.com

All content including X-33® is trademark Xanté Corporation. 2020. All Rights Reserved.



SPECIFICATIONS

PRINTING CAPABILITIES

Bed size:	36" x 24" (91.4cm x 60.9cm)
Imaging area:	36" x 24" (91.4cm x 60.9cm)
Max. media size:	36" x 24" (91.4cm x 60.9cm)
Min. media size:	.5" x .5"
Max. print height:	6" (15.24 cm)
Media transport:	41.3" x 24" (104.9cm x 60.9cm) Vacuum bed
Print colors:	CMYK + WWW
Resolution:	720/1080/1440/2160/2880 DPI Resolutions
UV lamp:	Dual LED, 385-415 nM, low heat curing lamps



INK AND MEDIA

Ink type:	UV, 500 mL bottles per color The maximum shelf life is 1 (one) year from Date of Manufacture (DoM). Once opened, the shelf life is 2 (two) months or 1 (one) year from DoM, whichever comes first.
Media types:	PVC plastic, styrene, wood, aluminum, metal, acrylics, coroplast, ceramics, fabric, leather, composites, paperboard, foamboard, glass, carpet, tile and more

PRINTER CONNECTIVITY

1-Gigabit Ethernet

PREPRESS SOFTWARE

Xanté iQueue Workflow:	Adobe® PostScript® 3™, Independent CMYK Density Control, Spot Color Matching, Imposition, Digital File Editing, Variable Printing, and much more
------------------------	--

WEIGHTS, DIMENSIONS

Dimensions:	58"L x 63"W x 24"H (147 x 160 x 60cm)
Net/Gross weight:	398.2 lbs (181kg)
Power supply:	110v or 220v 50-60hz

WORKING CONDITION

Operating temperature:	22-26°C (68°F - 78°F)
Relative humidity:	35-75RH



Adobe® PostScript® 3™



**iQueue Simply Brilliant
Workflow (Included)**

Digital Color Workflow with Advanced Color
Matching and File Management Tools



9687 Gerwig Lane, Suite B
Columbia, Maryland 21046
O: 410.290.8200 | F: 410.649.5226
agspress.com | info@agspress.com
www.atlanticgraphicsystems.com